


# RCCN 日成GDRF型环保阻燃线槽 Wide Slot Wiring Duct



产品材质:采用低卤素硬质PVC料制成,环保无污染,不含铅等有毒物。  
 产品认证:美国UL:E306674 欧洲CE 欧洲环保RoHS,REACH,铁道阻燃低烟。  
 防火等级:UL94V-0,低烟微卤,遇火不燃烧,防火性及绝缘性特佳。  
 产品构造:由槽底及槽盖组成,底槽两侧设有出线孔。  
 颜色:灰色,白色,蓝色,黑色(可定制其它颜色,有起订量要求)  
 工作温度:静态-40℃持续高温至65℃,短时间可达85℃。  
 使用方法:先将底槽固定,将所要配的线装入槽内,盖上槽盖即可。  
 产品特性:1.反扣式槽盖与槽体设计组合后绝不脱落,且接合面平滑,不割伤手及擦损附近配线。  
 2.配线槽65℃内不易断裂,变形,变色,装配省时便利。  
 3.出线孔低、组合容易、拆卸简单、易于配线。


**更多选择:量大可按需求生产所需规格或定制长度.例:GDR8080F(L=1.7M)**  
 Wide slot/finger design provides greater sidewall rigidity and can be used with a wide range of wire bundle sizes.  
 Certificates:UL:E306674 CE:EN50085 RoHS,REACH. Made of rigid PVC  
 Work temperature:-40 °c to 65 °c  
 UL94 Flammability Rating of V-0  
 Provided with mounting holes  
 Available color:gray,white,blue,black and other special colors  
**Special length come with MOQ request**



**推荐:灰色为常规库存产品,其它颜色有起订量要求。**

**Comment:gray is the common color, other color need more MOQ**

**GDR6060F/4.5\*5.5 参考C72平面图**



大小孔型号/Eu hole size: VDR4060F/614


单位/Unit:mm

| 型号 Item No.       |                    |                   |                    | 宽×高<br>High X width<br>W×H | 孔宽<br>Slot width<br>Q | 齿宽<br>Finger width<br>P | 电线容量<br>以2.0平方计算<br>Wire capability/2.0sp | 标准长度<br>Standard Length |
|-------------------|--------------------|-------------------|--------------------|----------------------------|-----------------------|-------------------------|-------------------------------------------|-------------------------|
| 灰色Gray<br>RAL7030 | 白色White<br>RAL9016 | 蓝色Blue<br>RAL5015 | 黑色Black<br>RAL9005 |                            |                       |                         |                                           |                         |
| GDR2025F          | GDR2025FW          | GDR2025FE         | GDR2025FB          | 20×25                      | 6                     | 6.5                     | 5~15pcs                                   | 每支<br>2米<br><br>含槽底槽盖   |
| GDR2525F          | GDR2525FW          | GDR2525FE         | GDR2525FB          | 25×25                      | 6                     | 6.5                     | 10~25pcs                                  |                         |
| GDR3025F          | GDR3025FW          | GDR3025FE         | GDR3025FB          | 30×25                      | 6                     | 6.5                     | 12~28pcs                                  |                         |
| GDR4025F          | GDR4025FW          | GDR4025FE         | GDR4025FB          | 40×25                      | 6                     | 6.5                     | 20~35pcs                                  |                         |
| GDR5025F          | GDR5025FW          | GDR5025FE         | GDR5025FB          | 50×25                      | 6                     | 6.5                     | 25~40pcs                                  |                         |
| GDR2540F          | GDR2540FW          | GDR2540FE         | GDR2540FB          | 25×40                      | 6                     | 6.5                     | 20~25pcs                                  |                         |
| GDR3540F          | GDR3540FW          | GDR3540FE         | GDR3540FB          | 35×40                      | 6                     | 6.5                     | 50~60pcs                                  |                         |
| GDR4040F          | GDR4040FW          | GDR4040FE         | GDR4040FB          | 40×40                      | 6                     | 6.5                     | 60~70pcs                                  | Pcs/ranch<br>2M         |
| GDR6040F          | GDR6040FW          | GDR6040FE         | GDR6040FB          | 60×40                      | 6                     | 6.5                     | 100~115pcs                                |                         |
| GDR8040F          | GDR8040FW          | GDR8040FE         | GDR8040FB          | 80×40                      | 6                     | 6.5                     | 120~135pcs                                |                         |
| GDR10040F         | GDR10040FW         | GDR10040FE        | GDR10040FB         | 100×40                     | 6                     | 6.5                     | 120~135pcs                                |                         |

## RCCN 日成GDRF型环保阻燃线槽 Wide Slot Wiring Duct

| 型号 Item No.       |                    |                   |                    | 宽×高<br>High X width<br>W×H | 孔宽<br>Slot<br>width<br>Q | 齿宽<br>Finger<br>width<br>P | 电线容量<br>以2.0平方计算<br>Wire capability/2.0sq | 标准长度<br>Standard<br>Length                        |
|-------------------|--------------------|-------------------|--------------------|----------------------------|--------------------------|----------------------------|-------------------------------------------|---------------------------------------------------|
| 灰色Gray<br>RAL7030 | 白色White<br>RAL9016 | 蓝色Blue<br>RAL5015 | 黑色Black<br>RAL9005 |                            |                          |                            |                                           |                                                   |
| GDR2560F1         | GDR2560F1W         | GDR2560F1E        | GDR2560F1B         | 25×60                      | 6                        | 6.5                        | 40~50pcs                                  | 每支<br>2米<br><br>含槽底槽盖                             |
| GDR3060F1         | GDR3060F1W         | GDR3060F1E        | GDR3060F1B         | 30×60                      | 6                        | 6.5                        | 60~80pcs                                  |                                                   |
| GDR3560F1         | GDR3560F1W         | GDR3560F1E        | GDR3560F1B         | 35×60                      | 6                        | 6.5                        | 90~105pcs                                 |                                                   |
| GDR4060F1         | GDR4060F1W         | GDR4060F1E        | GDR4060F1B         | 40×60                      | 6                        | 6.5                        | 100~115pcs                                |                                                   |
| GDR4560F1         | GDR4560F1W         | GDR4560F1E        | GDR4560F1B         | 45×60                      | 6                        | 6.5                        | 110~120pcs                                |                                                   |
| GDR5060F1         | GDR5060F1W         | GDR5060F1E        | GDR5060F1B         | 50×60                      | 6                        | 6.5                        | 120~135pcs                                |                                                   |
| GDR6060F1         | GDR6060F1W         | GDR6060F1E        | GDR6060F1B         | 60×60                      | 6                        | 6.5                        | 120~135pcs                                |                                                   |
| GDR8060F1         | GDR8060F1W         | GDR8060F1E        | GDR8060F1B         | 80×60                      | 6                        | 6.5                        | 180~210pcs                                |                                                   |
| GDR10060F1        | GDR10060F1W        | GDR10060F1E       | GDR10060F1B        | 100×60                     | 6                        | 6.5                        | 240~290pcs                                |                                                   |
| GDR11060F1        | GDR11060F1W        | GDR11060F1E       | GDR11060F1B        | 110×60                     | 6                        | 6.5                        | 250~300pcs                                |                                                   |
| GDR12060F1        | GDR12060F1W        | GDR12060F1E       | GDR12060F1B        | 120×60                     | 6                        | 6.5                        | 260~320pcs                                | Pcs/Branch<br>2M<br><br>Including tuning and lids |
| GDR2580F1         | GDR2580F1W         | GDR2580F1E        | GDR2580F1B         | 25×80                      | 6                        | 6.5                        | 100~6.50pcs                               |                                                   |
| GDR3080F1         | GDR3080F1W         | GDR3080F1E        | GDR3080F1B         | 30×80                      | 8                        | 6.5                        | 110~6.55pcs                               |                                                   |
| GDR3580F1         | GDR3580F1W         | GDR3580F1E        | GDR3580F1B         | 35×80                      | 6                        | 6.5                        | 110~130pcs                                |                                                   |
| GDR4080F1         | GDR4080F1W         | GDR4080F1E        | GDR4080F1B         | 40×80                      | 6                        | 6.5                        | 140~160pcs                                |                                                   |
| GDR4580F1         | GDR4580F1W         | GDR4580F1E        | GDR4580F1B         | 45×80                      | 6                        | 6.5                        | 140~160pcs                                |                                                   |
| GDR5080F1         | GDR5080F1W         | GDR5080F1E        | GDR5080F1B         | 50×80                      | 6                        | 6.5                        | 160~180pcs                                |                                                   |
| GDR5580F1         | GDR5580F1W         | GDR5580F1E        | GDR5580F1B         | 55×80                      | 6                        | 6.5                        | 160~180pcs                                |                                                   |
| GDR6080F1         | GDR6080F1W         | GDR6080F1E        | GDR6080F1B         | 60×80                      | 6                        | 6.5                        | 180~210pcs                                |                                                   |
| GDR8080F1         | GDR8080F1W         | GDR8080F1E        | GDR8080F1B         | 80×80                      | 6                        | 6.5                        | 240~290pcs                                |                                                   |
| GDR10080F1        | GDR10080F1W        | GDR10080F1E       | GDR10080F1B        | 100×80                     | 6                        | 6.5                        | 260~350pcs                                | 每支<br>2米<br><br>含槽底槽盖                             |
| GDR12080F1        | GDR12080F1W        | GDR12080F1E       | GDR12080F1B        | 120×80                     | 6                        | 6.5                        | 280~380pcs                                |                                                   |
| GDR14080F1        | GDR14080F1W        | GDR14080F1E       | GDR14080F1B        | 140×80                     | 6                        | 6.5                        | 350~450pcs                                |                                                   |
| GDR2580F2         | GDR2580F2W         | GDR2580F2E        | GDR2580F2B         | 25×80                      | 6                        | 6.5                        | 100~6.50pcs                               |                                                   |
| GDR3080F2         | GDR3080F2W         | GDR3080F2E        | GDR3080F2B         | 30×80                      | 6                        | 6.5                        | 110~6.55pcs                               |                                                   |
| GDR3580F2         | GDR3580F2W         | GDR3580F2E        | GDR3580F2B         | 35×80                      | 6                        | 6.5                        | 110~130pcs                                |                                                   |
| GDR4080F2         | GDR4080F2W         | GDR4080F2E        | GDR4080F2B         | 40×80                      | 6                        | 6.5                        | 140~160pcs                                |                                                   |
| GDR4580F2         | GDR4580F2W         | GDR4580F2E        | GDR4580F2B         | 45×80                      | 6                        | 6.5                        | 140~160pcs                                |                                                   |
| GDR5080F2         | GDR5080F2W         | GDR5080F2E        | GDR5080F2B         | 50×80                      | 6                        | 6.5                        | 160~180pcs                                |                                                   |
| GDR5580F2         | GDR5580F2W         | GDR5580F2E        | GDR5580F2B         | 55×80                      | 6                        | 6.5                        | 160~180pcs                                |                                                   |
| GDR6080F2         | GDR6080F2W         | GDR6080F2E        | GDR6080F2B         | 60×80                      | 6                        | 6.5                        | 180~210pcs                                | Pcs/Branch<br>2M<br><br>Including tuning and lids |
| GDR8080F2         | GDR8080F2W         | GDR8080F2E        | GDR8080F2B         | 80×80                      | 6                        | 6.5                        | 240~290pcs                                |                                                   |
| GDR10080F2        | GDR10080F2W        | GDR10080F2E       | GDR10080F2B        | 100×80                     | 6                        | 6.5                        | 260~350pcs                                |                                                   |
| GDR12080F2        | GDR12080F2W        | GDR12080F2E       | GDR12080F2B        | 120×80                     | 6                        | 6.5                        | 280~380pcs                                |                                                   |
| GDR14080F2        | GDR14080F2W        | GDR14080F2E       | GDR14080F2B        | 140×80                     | 6                        | 6.5                        | 350~450pcs                                |                                                   |
| GDR25100F2        | GDR25100F2W        | GDR25100F2E       | GDR25100F2B        | 25×100                     | 6                        | 6.5                        | 110~160pcs                                |                                                   |
| GDR33100F2        | GDR33100F2W        | GDR33100F2E       | GDR33100F2B        | 33×100                     | 6                        | 6.5                        | 130~165pcs                                |                                                   |
| GDR40100F2        | GDR40100F2W        | GDR40100F2E       | GDR40100F2B        | 40×100                     | 6                        | 6.5                        | 130~175pcs                                |                                                   |
| GDR50100F2        | GDR50100F2W        | GDR50100F2E       | GDR50100F2B        | 50×100                     | 6                        | 6.5                        | 220~250pcs                                |                                                   |
| GDR60100F2        | GDR60100F2W        | GDR60100F2E       | GDR60100F2B        | 60×100                     | 6                        | 6.5                        | 240~290pcs                                |                                                   |
| GDR70100F2        | GDR70100F2W        | GDR70100F2E       | GDR70100F2B        | 75×100                     | 6                        | 6.5                        | 260~350pcs                                |                                                   |
| GDR80100F2        | GDR80100F2W        | GDR80100F2E       | GDR80100F2B        | 80×100                     | 6                        | 6.5                        | 260~350pcs                                |                                                   |
| GDR100100F2       | GDR100100F2W       | GDR100100F2E      | GDR100100F2B       | 100×100                    | 6                        | 6.5                        | 300~400pcs                                |                                                   |

## RCCN 日成GDRF型环保阻燃线槽 Wide Slot Wiring Duct



| 特点/Features                                                                       | 优点/Advantages                                                                                                                             | 益处/Benefits                                                                                                                                 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 细的齿和中的孔                                                                           | 较近的电器大一点的接线空间满足高密度布线                                                                                                                      | 允许更多的布线,使布线效果整体美观                                                                                                                           |
| 环保阻燃材料<br>Rohs approved<br>Environment-friendly Material                          | 符合欧盟ROHS环保测试,<br>符合美国UL94V-0,良好的阻燃性<br>Approved by EU Rohs,<br>Compliant with US UL 94V-0,good inflaming                                  | 环保不含有铅的PVC 不会对人体健康构成危害,材料良好阻燃性,<br>使明火自熄,在着火的情况下,保证安全<br>Eliminates health concerns associated with PVC that contains lead                  |
| 光滑的边角<br>Smooth rounded edges                                                     | 齿的顶端和孔的边缘光滑<br>Smooth edges in duct slots and at top of duct fingers                                                                      | 防止电线和手被毛刺割伤<br>Protects hands and wiring/cabling from abrasion                                                                              |
| 防滑盖<br>(non-slip liner inside duct covers)                                        | 安装时不容易滑盖<br>Will not slide easily when installed on duct base                                                                             | 防运输振动导致滑盖 防线槽垂直安装时滑盖<br>Cover stays in place during shipment,<br>vibration and when in a vertical orientation,eliminating rework            |
| 平整的盖子设计<br>Flush cover designGreater capacity<br>than traditional duct designs    | 比传统的设计有更大的空间<br>盖子与槽体齐平<br>Cover sits flush with sidewall                                                                                 | 比老款装相同数量的电线表面更平整美观<br>Can potentially use a smaller size wiring duct for<br>same number of wires<br>Provides a neat and finished appearance |
| 冲孔断面/Slot smooth                                                                  | 冲孔后齿的表面平整光滑<br>Smooth edge after punching                                                                                                 | 不用修毛刺,节省时间<br>No need to get offer abrasion, save time                                                                                      |
| 阻隔齿设计<br>Restricted slot designOnce<br>inserted wires are retained<br>in the slot | 电线装入后不会晃动,不管是否扣盖子<br>也可用于电线功能不同的分类<br>with or without the cover being installed                                                           | 安装时避免线跑出槽不必要的麻烦,节省时间<br>Eliminates hassle and saves time during<br>installation and maintenance                                             |
| 四种颜色可选<br>Four different colors                                                   | 可用于不同场合的安装要求。<br>Suitable to different environments using                                                                                 | 项目对颜色有要求时选择范围更加的广泛更快的满足终端用户的需求。<br>Can meet different customers'request in different project                                                |
| 通过多项认证<br>Approved by many certificates                                           | 美国UL,加拿大CULUS, 欧盟CE ,ROHS,REACH<br>铁道部机车阻燃低烟认证。<br>America UL,Canada CULUS, EuropeCE ,ROHS,REACH<br>Flamility and low smoking certificate | 满足项目应用零配件需要提供产品认证,确保产品在世界各地均可放心使用<br>Can provide related certificates of the projects or parts need                                         |

